
Mondel Braketronic Systems



MONDEL Engineering Limited




MONDEL MEANS BRAKES

MONDEL BRAKETRONIC CONTROL UNIT

- Variable Frequency Torque Control
- Foot Pedal, Radio Remote Control or Ramping
- DC, AC-Single Phase or 3 Phase
- Replaces new or existing hydraulic systems
- Operates Multiple Brake Units
- Gongral Purpaya or Mill Duty Applications



Mondel Braketronic Controller



APPLICATIONS

THE MONDEL BRAKETRONIC CONTROLLER PROVIDES VARIABLE TORQUE CONTROL OF MONDEL THRUSTER OPERATED SHOE OR DISC BRAKES.

BRAKETRONIC CONTROLLERS CAN BE APPLIED TO SINGLE OR MULTIPLE BRAKE SYSTEMS AND CAN BE SUPPLIED FROM DC, SINGLE PHASE OR THREE PHASE POWER SUPPLIES AT ANY VOLTAGE OR FREQUENCY.

THE TYPICAL BRAKETRONIC CONTROLLER CAN OPERATE IN CONJUNCTION WITH A FOOT PEDAL OR MASTER SWITCH LOCATED TO DELIVER PROPORTIONAL CONTROL OF THE BRAKES.

IN LESS DEMANDING APPLICATIONS THE BRAKETRONIC CAN BE PROGRAMMED TO APPLY THE BRAKES AT A PREDETERMINED RATE BY MEANS OF "RAMP DOWN" USING A SINGLE STEP DEVICE IN THE RADIO TRANSMITTER OR PENDANT.

COMMAND CAN BE ARRANGED FOR REMOTE RADIO CONTROL OR SELECTED TO


OPERATE FROM EITHER CAB OR RADIO THROUGH THE COMMAND TRANSFER SWITCH.

MONDEL BRAKETRONIC CONTROLLERS AND BRAKE SYSTEMS ARE REPLACING HIGH MAINTENANCE POWER ASSISTED AIR OVER HYDRAULIC SYSTEMS.

MONDEL HAS APPLIED BRAKETRONIC SYSTEMS ON A WIDE VARIETY OF INDOOR AND **DUTDOOR CRANES. THESE CAN** BE FOUND IN STEEL MILLS. FOUNDRIES, ALUMINUM SMELTERS, COPPER REFINERIES, **POWER GENERATION PLANTS** (INCLUDING NUCLEAR). SHIPYARDS, ASSEMBLY SHOPS AND WAREHOUSES THROUGHOUT NORTH AMERICA, OTHER APPLICATIONS INCLUDE MOVEABLE LIFT BRIDGES, CONVEYORS, FANS, LOCKGATES AND MANY OTHER TYPES OF ROTATING MACHINERY.



Mondel Braketronic Contoller





SYSTEM FEATURES


- PROVIDES STATE-OF-THE-ART SOPHISTICATED BRAKING FOR CRANE TRAVEL MOTIONS COMPATIBLE WITH MODERN DRIVE TECHNOLOGY.
- OPERATES FROM DC, SINGLE PHASE, OR THREE PHASE, POWER.
- CAN BE PROPORTIONALLY CONTROLLED DIRECT FROM THE CRANE CAB OR VIA REMOTE CONTROL.
- CAN BE GRADUALLY APPLIED BY MEANS OF PRE-PROGRAMMED RAMPING USING SINGLE STEP CONTROL DEVICES.
- PERMITS THE USE OF CONTROL DEVICES WHICH ARE COMPATIBLE WITH MODERN ERGONOMIC SIT-DOWN CAB ARRANGEMENTS INCLUDING ROTATING CONSOLES.
- REPLACES STRAIGHT HYDRAULIC OR POWER ASSISTED BRAKING SYSTEMS, AND PROVIDES PARKING AND LOSS OF POWER EMERGENCY FAIL SAFE BRAKING.
- CAN BE RAMPED OR PROPORTIONALLY CONTROLLED FROM A SELECTED COMMAND SOURCE AND TRANSFERRED TO A RAMPED OR PROPORTIONALLY CONTROLLED ALTERNATE COMMAND SOURCE, OR VICE VEPSA
- PROVIDES THE ABILITY TO INTERLOCK WITH THE DRIVE TO PREVENT SIMAULTANEOUS BRAKING WHILE THE DRIVE IS OPERATING.
- CAN BE PREPROGRAMMED TO SUIT YOUR
 REQUIREMENTS OR FIELD TAILORED TO ACCOMODATE
 REVISIONS.
- CUSTOM ENGINEERING TO SUIT YOUR APPLICATION.
- NEMA 4 ENCLOSURE STANDARD.

Mondel Braketronic Controller



OPTIONAL FEATURES


- SPACE HEATERS FOR LOW ABMBIENT APPLICATIONS.
- FACTORY TRAINING.
- PROGRAMMER AVAILABLE



NEMA 4 ENCLOSURE DIMENSIONS

TYPE	A	В	C	D	E	MOUNTING BOCTS
P-230	20"	16"	8*	11"	21 - 1/4"	4 X 3/8"
P-400	20"	16"	10"	11*	21 - 1/4"	4 X 3/8"

NEMA 4 - PEDAL DIMENSIONS



MONDEL Engineering Limited

2610 Dunwin Drive, Mississauga, Ontario Canada LSL 1JS

Tel: (905) 828-1526 Fox: (905) 828-5707

MONDEL Limited

600 Bursco Drive, Suite 601, Bridgeville, PA, U.S.A. 15017

Tel: (412) 257-3565 Fax: (412) 257-3567

